



# USB 3.0 4-Port Portable Hub **UH400**

## Highlights

---

- Connect up to 4 devices at a time
- Transfer speeds of up to 5Gbps
- Ultra compact design
- Built-in USB connector cable
- No driver required

# Features

---

Connect up to 4 devices at a time



Connect up to 4 devices at a time

UH400 is perfect for anyone who has a computer with only one or two USB ports, and wants easier access to additional ports without having to switch between devices. UH400 gives users the freedom to connect up to 4 devices at a time.

Transfer speeds of up to 5Gbps

USB 2.0



USB 3.0



Transfer speeds of up to 5Gbps

The 4 USB 3.0 ports support transfer speed of up to 5Gbps, 10 times faster than USB 2.0. It is also backward compatible with USB 2.0/1.1. The rapid transfer speeds of this device grants users full access to a highly functional data sharing highway.

# Features

---

## Ultra compact design



### Ultra compact design

A highly portable device that comes in a compact, lightweight design. A nicely built compact sized makes it easier to store in your laptop pouch.



### Built-in USB connector cable

A foldable cord design enables a more convenient way for storage or travelling.



### No driver required

UH400 supports Plug and Play feature for devices running Windows 10/ 8.1 / 8 / 7 / Vista / XP or macOS and Linux systems.

# Specifications

---

## Basic

---

<b>Dimensions:</b>	2.8 x 2.8 x 0.7 in. (71 x 71 x 16.6 mm)
<b>Output Interface:</b>	4 USB 3.0 Ports
<b>Input Interface :</b>	USB 3.0 Type-A
<b>Chipset:</b>	VIA VL812 Chipset with Latest Firmware
<b>System Requirements:</b>	Windows (XP/Vista/7/8/8.1/10), macOS (10.6/10.7/10.8/10.9/10.10/10.11) ,Linux OS
<b>Package Contents:</b>	<ul style="list-style-type: none"><li>• USB 3.0 4-Port Portable Hub UH400</li><li>• Quick Installation Guide</li></ul>

## Others

---

### Certification:

CE, FCC, RoHS

### Environment:

- Operating Temperature: 0°C ~ 40°C (32°F ~ 104°F)
- Storage Temperature: -40°C ~ 70°C (-40°F ~ 158°F)
- Operating Humidity: 10% ~ 90% non-condensing
- Storage Humidity: 5% ~ 90% non-condensing



For more information, please visit  
[http://WWW.TP-LINK.COM/en/products/details/cat-4761\\_UH400.html](http://WWW.TP-LINK.COM/en/products/details/cat-4761_UH400.html)  
or scan the QR code on the left

Specifications are subject to change without notice. TP-LINK is a registered trademark of TP-LINK Technologies CO., Ltd. Other brands and product names are trademarks or registered trademarks of their respective holders. No part of the specifications may be reproduced in any form or by any means or used to make any derivative such as translation, transformation, or adaptation without permission from TP-LINK Technologies Co., Ltd.