Elegant

Trio

Professional Rack Cabinet For Cost Effective Network Infrastructures



Elegant Trio rack series offers the permanent solution for management of Network devices and cables. The unique, flexible and effective range is the ideal solution to support the Network and server applications with its welded and durable structure.

Elegant IT rack networking Cabinet are intended for installation of data and telecommunication devices and their distribution systems. Mostly used for structured network cabling systems in office environments, Also to be used in computer-rooms and small or large sized data-centers. A lot of options for doors, side- and rear panels, as well as many different accessories, make the use of the enclosure very flexible.

Removable side and rear panels allow comfortable and easy access to the installed devices for maintenance from all sides of the cabinet. For active cooling it is possible to install an optional fan-unit into the roof or 19inch rack mount type fan units.

Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness Silk-screen mounting rails are providing ability to count U-Marking from top to down & down to up for easy device installation.



Combination of Elenance and strength















Protect your device against overheating by choosing the right fan module.

We offer a wide product range of ventilation units with the different fan modules.

On/Off switch Fan modules Analog or digital Thermostat control unit Fan modules


M-Joint cable entry panels located on the top cover designed for easily cabling and High-density cabling. Dimensions w: 300 – D: 56 mm

Sliding & M-Joint cable entry panel located on the bottom plates has been designed for easily cabling and Highdensity cabling by using cable entry panels with the dimensions w: 300 - D: 125 mm

Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness, Silk-screen mounting rails are providing ability to count U- Marking from top to down & down to up for easy device installation













| | Proc | luc | Cod | le |
|--|------|-----|-----|----|
|--|------|-----|-----|----|

Product Description


| ELGT 20U 6060 CC 111 | Elegant Trio | 19" | 20U W=600 mm D=600 mm | | |
|--|--------------|-----|------------------------|--|--|
| ELGT 26U 6060 CC 111 | Elegant Trio | 19" | 26U W=600 mm D=600 mm | | |
| ELGT 32U 6060 CC 111 | Elegant Trio | 19" | 32U W=600 mm D=600 mm | | |
| ELGT 42U 6060 CC 111 | Elegant Trio | 19" | 42U W=600 mm D=600 mm | | |
| ELGT 20U 6080 CC 111 | Elegant Trio | 19" | 20U W=600 mm D=800 mm | | |
| ELGT 26U 6080 CC 111 | Elegant Trio | 19" | 26U W=600 mm D=800 mm | | |
| ELGT 32U 6080 CC 111 | Elegant Trio | 19" | 32U W=600 mm D=800 mm | | |
| ELGT 42U 6080 CC 111 | Elegant Trio | 19" | 42U W=600 mm D=800 mm | | |
| ELGT 26U 6010 CC 111 | Elegant Trio | 19" | 26U W=600 mm D=1000 mm | | |
| ELGT 32U 6010 CC 111 | Elegant Trio | 19" | 32U W=600 mm D=1000 mm | | |
| ELGT 42U 6010 CC 111 | Elegant Trio | 19" | 42U W=600 mm D=1000 mm | | |
| **CC color code , BL=Rall 9005 Black , LG=Rall 7035 Light gray | | | | | |



REAR VIEW




FRONT VIEW




SIDE VIEW




BOTTOM VIEW



TOP VIEW




INNER VIEW



В-В







Elegant Trio rack series offers the permanent solution for management of Network devices and cables. Unique, flexible and effective range is the ideal solution to support the Network and server applications with its durable structure. Elegant Trio rack networking Cabinet are intended for installation of data and telecommunication devices and their distribution systems. Mostly used for structured network cabling systems in Office environments also to be used in computer-rooms and small or large sized data-centers. A lot of options for doors, side- and rear panels, as well as many different accessories, make the use of the enclosure very flexible.

Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness Silk-screen mounting rails are providing ability to count U-Marking from top to down & down to up for easy device installation

Removable side and rear panels allow comfortable and easy access to the installed devices for maintenance from all sides of the cabinet. For active cooling, it is possible to install an optional fan-unit into the roof and/or floor.

Width=800mm Elegant Net - Huge IT rack cabinets are designed for housing the Patch panels, switching installation, patch cord / cable management



Combination of Elegance and strength















Protect your device against overheating by choosing the right fan module.

We offer a wide product range of ventilation units with the different fan modules.

On/Off switch Fan modules Analog or digital Thermostat control unit Fan modules


M-Joint cable entry panels located on the top cover designed for easily cabling and High-density cabling. Dimensions w: 300 – D: 56 mm x2pcs (Left/right)

Sliding & M-Joint cable entry panel located on the bottom plates has been designed for easily cabling and Highdensity cabling by using cable entry panels with the dimensions w: 300 – D: 125 mm & 300*60mm M-joint cable entry points left/right two pcs

Vertical mounting rails are adjustable throughout the entire depth of the cabinet and have very high carrying capacity with 1.5mm thickness, Silk-screen mounting rails are providing ability to count U- Marking from top to down & down to up for easy device installation














| Produc Code | Product Description | | |
|--|---------------------|--|--|
| ELGT 26U 8080 CC 221 | Elegant Trio 19" | 26U W=800 mm D=800 mm | |
| ELGT 32U 8080 CC 221 ELGT 42U 8080 CC 221 | | 32U W=800 mm D=800 mm 42U W=800 mm D=800 mm | |
| ELGT 26U 8010 CC 221 | Elegant Trio 19" | 26U W=800 mm D=1000 mm | |
| ELGT 42U 8010 CC 221 | Elegant Trio 19" | 42U W=800 mm D=1000 mm | |

**CC color code , BL=Rall 9005 Black , LG=Rall 7035 Light gray



Technical view W:800mm





Technical view W:800mm

